

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Genes Interacting with Occupational Exposures to Low Molecular Weight Agents and Irritants on Adult-Onset Asthma in Three European Studies

Marta Rava, Ismail Ahmed, Manolis Kogevinas, Nicole Le Moual, Emmanuelle Bouzigon, Ivan Curjuric, Marie-Hélène Dizier, Orianne Dumas, Juan R. Gonzalez, Medea Imboden, Amar J. Mehta, Pascale Tubert-Bitter, Jan-Paul Zock, Deborah Jarvis, Nicole M. Probst-Hensch, Florence Demenais, and Rachel Nadif

Table of Contents

Description of the three multicentre epidemiological European studies

The EGEA study

The ECRHS study

The SAPALDIA study

REFERENCES

Table S1. Assessment of occupational exposure and definition of exposed and non-exposed groups

Table S2. Description of SNPs interacting at the $P < 0.005$ level with occupational exposure to LMW agents or irritants on current adult-onset asthma (463 cases/2136 controls)

Table S3: Interactions between SNPs and occupational exposure to LMW agents or irritants on current adult-onset asthma stratified by study.

Table S4: Interactions between SNPs in *PLAG24A*, *RELA*, *PRKDI* and *PRKCA* and occupational exposure to LMW agents or irritants on current adult-onset asthma after accounting for family dependency, after excluding current smokers, and after further adjustment for smoking status (case-control approach)

Table S5. Gene-based interaction results obtained with VEGAS at the P -value $< .05$.

Figure S1. Flow-charts of the selected participants in each European study (**A**: EGEEA, **B**: SAPALDIA and **C**: ECRHS).

Figure S2. Summary of the SNP-occupational exposure interaction results around rs932476 in *PLA2G4A* (**A**), rs2667026 in *PLA2R1* (**B**), rs931127 in *RELA* (**C**), rs1958980 in *PRKDI* (**D**) and rs6504453 in *PRKCA* (**E**) using the LocusZoom software (Pruim et al. 2010). The left Y-axis shows the $-\log_{10}$ P-values. The position of the SNPs in megabases (build 36.3) is shown on the X-axis. rs932476, rs2667026, rs931127, rs1958980 and rs6504453 are colored in purple. The degree of LD (from the hg/1000 Genomes reference panel) between these SNPs and the SNPs we selected in the same region is reflected by the color of the dots (red being the highest degree of LD). The blue line represents the recombination rate (right Y-axis).

Figure S3. Association between T allele at rs6504453 in *PRKCA* and gene expression in lung tissue (eQTL browser GTEx, Gibson et al. 2015).

Additional Files

Supplemental Code and Data ZIP File

Supplemental Code and Data ZIP File Index

Excel File Tables S1-S5

Excel File Table S1. Canonical pathways involved in the metabolism of LMW agents or irritants

Excel File Table S2. List of the 163 genes selected using the candidate pathway-based strategy

Excel File Table S3. List of the 17 pathways in which the four genes are involved among the other relevant genes selected by the candidate pathway-based strategy

Excel File Table S4. Regulatory elements of the four loci (1q31.1, 2q24.2, 11q13.1 and 14q12) containing SNPs in bold (rs932476, rs2667026, rs931127, rs7949980, rs1958980, rs11847351, and rs1958987) interacting with occupational exposures to LMW agents or irritants on current adult-onset asthma. Functional annotation of these SNPs (or SNPs in high LD ($D' > 0.9$; $r^2 \geq 0.8$) was searched using HaploReg (<http://www.broadinstitute.org/mammals/haploreg/haploreg.php> , Ward and Kellis, 2012). In this table are indicated the cell lines in which elements are present (enhancer histone marks and DNase hypersensitivity sites) or regulatory motifs or the type protein that binds to this specific site (Proteins bound).

Excel File Table S5. Chemical retrieved from the Comparative Toxicogenomics Database (CTD, URL: <http://ctdbase.org/>, Davis et al. 2014) and interacting with the five genes (PLA2G4A, PLA2R1, PRKCA, PRKD1 and RELA). In this table are indicated the LMW agents/irritants/cleaning products or disinfectants evaluated by job specific questionnaires (see Table E1) or exposures known to contain compounds with irritant properties (air pollutants and vehicle emissions).